


INA PASE30-N-FA125 Bearing units



PASE30-N-FA125 Bearing 2D drawings and 3D CAD models

Bearing No. PASE30-N-FA125

Bore Diameter	30 mm
d	30 mm
S1	26,8 mm
Thread (Q)	Rp1/8
d3	44 mm
A	40 mm
A1	25 mm
B1	35,8 mm
H	42,9 mm
H1	17 mm
H2	82 mm
J	118 mm
L	158 mm
N	14 mm
N1	22 mm
Weight	1,11 Kg
Basic dynamic load rating (C)	19,5 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	1.245
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block



SJN Machinery Co., Ltd.

Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GRAE30NPPB
Seals	Double Lip Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Spherical Corrosion Resistant Standard Shaft Height With Set Screw
Long Description	2 Bolt Pillow Block; 30MM Bore; 42.9MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 108MM Minimum Bolt Spacing; 127MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Lip Contac
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	PASE30N-FA125
Weight / LBS	2.867
Nominal Bolt Center to Center	4.6 Inch 118 Millimeter
Bore	1.181 Inch 30 Millimeter
Base to Center Height	1.689 Inch 42.9 Millimeter
Bolt Spacing Maximum	5 Inch 127Millimeter
Length Thru Bore	1.406 Inch 35.7 Millimeter
Bolt Spacing Minimum	4.252 Inch 108Millimeter



SJN Machinery Co., Ltd.

Actual Bolt Center to Center	0 Inch 0Millimeter
---------------------------------	----------------------